




CONE



REFLECTORIZED CONE




FLEXIBLE DELINEATOR




VERTICAL PANEL


POST MOUNTED




DRUM



TYPE II BARRICADE




TYPE III BARRICADE



DIRECTION INDICATOR

BARRICADE



VERTICAL BARRICADE

* Warning lights (if required)

GENERAL NOTES

All heights shown shall be measured above the pavement surface.

All dimensions are in millimeters (inches) unless otherwise shown.


DATE	REVISIONS
4-1-04	Removed Type I barricade and constr. speed limit sign.
1-1-03	Rev. devices to meet NCHRP 350.

TRAFFIC CONTROL DEVICES

(Sheet 1 of 3)


STANDARD 702001-04

Illinois Department of Transportation	
APPROVED <u>April 1, 2004</u>	ISSUED 1-1-97
<i>Michael L. Hume</i>	
ENGINEER OF DESIGN AND ENVIRONMENT	




POST MOUNTED SIGNS

** When curb or paved shoulder are present
 this dimension shall be 600 mm (24") to the
 face of curb or 1.8 m (6') to the outside
 edge of the paved shoulder.



G20-1(0)-6036




G20-2a(0)-6024

This signing is required for all projects
3200 m (2 miles) or more in length.

ROAD CONSTRUCTION NEXT X MILES sign shall be placed 150 m (500') in advance of project limits.

END CONSTRUCTION sign shall be erected at the end of the job unless another job is within 3200 m (2 miles).

WORK LIMIT SIGNING




All dimensions are in millimeters (inches) unless otherwise shown.




TRAFFIC CONTROL DEVICES

(Sheet 2 of 3)

STANDARD 702001-04




ARROW BOARDS




TYPICAL INSTALLATION

TEMPORARY RUMBLE STRIPS



Reflectorized striping may be omitted on the back side of the barricades. If a Type III barricade with an attached sign panel which meets NCHRP 350 is not available, the sign may be mounted on an NCHRP 350 temporary sign support directly in front of the barricade.

**TYPICAL APPLICATIONS OF
TYPE III BARRICADES CLOSING A ROAD**



Reflectorized striping shall appear on both sides of the barricades. If a Type III barricade with an attached sign panel which meets NCHRP 350 is not available, the signs may be mounted on NCHRP 350 temporary sign supports directly in front of the barricade.

All dimensions are in millimeters (inches) unless otherwise shown.